



PRODUCT INFORMATION

ltem Number	52
Product Colour	Black
Size Range	6.5-9.5
Primary Coating Polymer	Latex
Grip	Diamond Pattern
Lining	Cotton Flock

FEATURES

Chemical Resistant: Achieves type A chemical resistance according to EN ISO 374-1, for protection against at least 6 different chemicals

Fit: Treated to harden the surface of the glove leaving it smooth to the touch

Designed to be close fitting to give maximum dexterity for the most tactile of operations

Length: 31cm gauntlet for protection to the forearm

Chemical Resistant: Excellent resistance to acids and alkalis

Closure: Beaded cuff for additional strength and prevention of liquid roll back

Lining: Flock lining eases donning and removal and absorbs perspiration keeping the hands cool and comfortable

Grip: Non-slip diamond pattern on the palm of glove enhances grip

Primary Coating Polymer: Latex

Virus/Non Virus Standard: Conforms with the requirements of EN ISO 374-5, for protection against bacteria & fungi

Abrasion Resistant: Achieves a maximum score of Level 4 for abrasion resistance as defined by European Standard EN 388

SECTORS

Construction & Utility • Janitorial • Waste Management and Local authority



STANDARDS













2777

4131X

AKLM NOP

CAUTION

Contains latex which may cause allergic reactions, including anaphylactic response.

Contains accelerator chemicals which may cause type IV skin irritation and contact dermatitis in sensitised individuals.

STORAGE INSTRUCTIONS

Store in dry conditions, away from direct sunlight and extreme heat. You are advised to retain the packaging for reference. Always inspect gloves prior to use and do not use if damaged or showing signs of wear.

PACKING

12 pairs per polybag 48 pairs per case 48 cases per pallet

For further technical information, please contact Customer Services on 0333 320 8550 or the Technical team on 0333 320 8555





DISPOSAL INSTRUCTIONS

Dispose of responsibly and in line with local guidance.

INNER PACKAGING



OUTER PACKAGING



Size	Outer Packaging Barcode
6.5	05010699804099
7.5	05010699804105
8.5	05010699804112
9.5	05010699804129