

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name or designation of the mixture	SafetyGel™
Registration number	-
Synonyms	None.
SDS number	SSE-2500-80-0-02UK
Issue date	13-December-2016
Revision date	29-September-2022
Supersedes date	20-September-2017

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Diapers, Sanitary napkins, Sheets for urine by pets, Pads for absorbing water, Urine-absorbing aids for incontinence, Industrial products, consumer products.
Uses advised against	Intentional and/or unintentional use below, especially containing food, drink, medicine, toys, an artificial organ, water pillow and Diapers, Sanitary napkins, Sheets for urine by pets and Pads for absorbing water. 1) In contacting with skin and dermal. 2) In being induced or absorbed in the body. 3) In contacting with food via the water absorbed in it. 4) In being let to emit water absorbed once and re-absorbed water. 5) With possibility of 1) to 4).

### 1.3. Details of the supplier of the safety data sheet

Supplier	Datesand Ltd
Telephone	+44 161 274 1080
Fax	
E-mail	sales@datesand.com

### 1.4. Emergency telephone number

General in EU	112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Austria National Poisons Information Center	+431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Belgium National Poisons Control Center	070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Bulgaria National Toxicological Information Center	+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Czech Republic National Poisons Information Center	+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Denmark National Poisons Control Center	+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Estonia National Poisons Information Center	16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)
Finland National Poison Information Center	(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
France National Poisons Control Center	ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Hungary National Emergency Phone Number	36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

<b>Lithuania Health Emergency Situations Center</b>	+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
<b>Malta Accident and Emergency Department</b>	2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
<b>Netherlands National Poisons Information Center (NVIC)</b>	030-274 88 88 (Only for the purpose of informing medical personnel in cases of acute intoxications)
<b>Norway Norwegian Poison Information Center</b>	22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
<b>Romania Biroul RSI si Informare Toxicologica</b>	021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)
<b>Slovakia National Toxicological Information Center</b>	+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
<b>Sweden National Poison Information Center</b>	112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

**Hazard summary** Dust may cause eye, skin and respiratory tract irritation.

### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

**Hazard pictograms** None.  
**Signal word** None.  
**Hazard statements** The mixture does not meet the criteria for classification.

#### Precautionary statements

**Prevention** The product becomes slippery when wet.  
**Response**  
P312 Call a POISON CENTRE or doctor/physician if you feel unwell.  
**Storage** Store as indicated in Section 7.  
**Disposal** For waste disposal, see section 13 of the SDS.

**Supplemental label information** None.

**2.3. Other hazards** By heating and fire, toxic vapours/gases may be formed. Carbon monoxide. Carbon dioxide.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Acrylic acid polymer sodium salt	>= 89,5	9003-04-7	-	-	
<b>Classification:</b>	-				
Water	=< 10	7732-18-5 231-791-2	-	-	
<b>Classification:</b>	-				
Silicon dioxide	=< 0,5	7631-86-9 231-545-4	01-2119379499-16-XXXX	-	
<b>Classification:</b>	-				

**Composition comments** Main component: Acrylic acid polymer sodium salt [CH<sub>2</sub>-CH(COOH)]<sub>m</sub>-[CH<sub>2</sub>-CH(COONa)]<sub>n</sub>

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

## SECTION 4: First aid measures

**General information** Not available.

### 4.1. Description of first aid measures

<b>Inhalation</b>	Move into fresh air and keep at rest. If breathing is difficult, give oxygen. Get medical attention if any discomfort continues.
<b>Skin contact</b>	Flush contaminated area with plenty of water. Get medical attention promptly if symptoms occur after washing.
<b>Eye contact</b>	Immediately flush eye(s) with plenty of water. Remove any contact lenses and open eyelids wide apart. Get medical attention if irritation persists after washing.
<b>Ingestion</b>	Remove the material from mouth. Rinse mouth thoroughly. Only induce vomiting at the instruction of medical personnel. Get medical attention.

**4.2. Most important symptoms and effects, both acute and delayed** Dusts may irritate the respiratory tract, skin and eyes. Choking, nausea, and stomach ache.

**4.3. Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

## SECTION 5: Firefighting measures

**General fire hazards** Combustible.

### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Extinguish with foam, carbon dioxide, dry powder or water fog.
<b>Unsuitable extinguishing media</b>	None known.

**5.2. Special hazards arising from the substance or mixture** By heating and fire, harmful vapours/gases may be formed.

### 5.3. Advice for firefighters

<b>Special protective equipment for firefighters</b>	Self-contained breathing apparatus, operated in positive pressure mode and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.
<b>Special fire fighting procedures</b>	Move containers from fire area if you can do so without risk. Prevent runoff from fire control or dilution from entering streams, sewers or drinking water supply. Use water spray to keep fire-exposed containers cool. Use standard firefighting procedures and consider the hazards of other involved materials.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

<b>For non-emergency personnel</b>	Avoid inhalation of dust and contact with skin and eyes. Avoid dust formation. Be aware of potential for surfaces to become slippery. The product becomes slippery when wet. Wear suitable protective clothing.
<b>For emergency responders</b>	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

**6.2. Environmental precautions** Do not discharge into Freshwater, Grey-water or Rainwater surface drainage, Water courses or onto the Ground.

**6.3. Methods and material for containment and cleaning up** Dust: Collect dust using a vacuum cleaner equipped with HEPA filter. Do not flush with water as it will make the floor slippery.

**6.4. Reference to other sections** Wet product: Wipe up spilled material and place in a suitable container for disposal.  
For waste disposal, see section 13 of the SDS.

## SECTION 7: Handling and storage

<b>7.1. Precautions for safe handling</b>	Provide adequate ventilation. Avoid dust formation. Avoid inhalation of dust and contact with skin and eyes. Wear appropriate personal protective equipment. Do not handle roughly. Avoid shock, dropping and dragging etc. The product becomes slippery when wet. Observe good industrial hygiene practices.
<b>7.2. Conditions for safe storage, including any incompatibilities</b>	Provide adequate ventilation. Keep containers tightly closed. Store in a cool, dry place out of direct sunlight. Protect from moisture. Keep away from heat, sparks and open flame. Ground container and transfer equipment to eliminate static electric sparks.
<b>7.3. Specific end use(s)</b>	Diapers, Sanitary napkins, Sheets for urine by pets, Pads for absorbing water, Urine-absorbing aids for incontinence, Industrial products, consumer products.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

**Occupational exposure limits****Austria. MAK List Components**

Components	Type	Value	Form
Silicon dioxide (CAS 7631-86-9)	MAK	4 mg/m <sup>3</sup>	Inhalable fraction.

**Belgium. Exposure Limit Values. Components**

Components	Type	Value
Silicon dioxide (CAS 7631-86-9)	TWA	10 mg/m <sup>3</sup>

**Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work Components**

Components	Type	Value	Form
Silicon dioxide (CAS 7631-86-9)	TWA	10 mg/m <sup>3</sup>	Inhalable fraction.
		0,07 mg/m <sup>3</sup>	Respirable fraction.

**Croatia. Dangerous Substance Exposure Limit Values in the Workplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09 Components**

Components	Type	Value	Form
Silicon dioxide (CAS 7631-86-9)	MAC	6 mg/m <sup>3</sup>	Total dust.
		2,4 mg/m <sup>3</sup>	Respirable dust.

**Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended. Components**

Components	Type	Value
Silicon dioxide (CAS 7631-86-9)	TWA	2 mg/m <sup>3</sup>

**Czech Republic. OELs. Government Decree 361 Components**

Components	Type	Value	Form
Silicon dioxide (CAS 7631-86-9)	TWA	4 mg/m <sup>3</sup>	Dust.

**Estonia. OELs. Occupational Exposure Limits of Hazardous Substances. (Annex of Regulation No. 293 of 18 September 2001) Components**

Components	Type	Value	Form
Silicon dioxide (CAS 7631-86-9)	TWA	2 mg/m <sup>3</sup>	Respirable dust.

**Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG) Components**

Components	Type	Value	Form
Silicon dioxide (CAS 7631-86-9)	TWA	4 mg/m <sup>3</sup>	Inhalable fraction.

**Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace Components**

Components	Type	Value	Form
Silicon dioxide (CAS 7631-86-9)	AGW	4 mg/m <sup>3</sup>	Inhalable fraction.

**Ireland. Occupational Exposure Limits Components**

Components	Type	Value	Form
Silicon dioxide (CAS 7631-86-9)	TWA	6 mg/m <sup>3</sup>	Total inhalable dust.
		2,4 mg/m <sup>3</sup>	Respirable dust.

**Latvia. OELs. Occupational exposure limit values of chemical substances in work environment Components**

Components	Type	Value
Silicon dioxide (CAS 7631-86-9)	TWA	1 mg/m <sup>3</sup>

**Norway. Administrative Norms for Contaminants in the Workplace Components**

Components	Type	Value	Form
Silicon dioxide (CAS 7631-86-9)	TLV	1,5 mg/m <sup>3</sup>	Respirable dust.

**Poland. MACs. Regulation regarding maximum permissible concentrations and intensities of harmful factors in the work environment, Annex 1**

Components	Type	Value	Form
Silicon dioxide (CAS 7631-86-9)	TWA	2 mg/m <sup>3</sup>	Respirable fraction.
		10 mg/m <sup>3</sup>	Inhalable fraction.

**Slovakia. OELs. Decree of the government of the Slovak Republic concerning protection of health in work with chemical agents**

Components	Type	Value
Silicon dioxide (CAS 7631-86-9)	TWA	0,3 mg/m <sup>3</sup>

**Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)**

Components	Type	Value	Form
Silicon dioxide (CAS 7631-86-9)	TWA	4 mg/m <sup>3</sup>	Inhalable fraction.

**UK. EH40 Workplace Exposure Limits (WELs)**

Components	Type	Value	Form
Silicon dioxide (CAS 7631-86-9)	TWA	6 mg/m <sup>3</sup>	Inhalable dust.
		2,4 mg/m <sup>3</sup>	Respirable dust.

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Recommended monitoring procedures** Follow standard monitoring procedures.

**Derived no effect levels (DNELs)** Not available.

**Predicted no effect concentrations (PNECs)** Not available.

**8.2. Exposure controls**

**Appropriate engineering controls** Provide adequate ventilation. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

**Individual protection measures, such as personal protective equipment**

**General information** Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

**Eye/face protection** Use tight fitting goggles if dust is generated.

**Skin protection**

**- Hand protection** Wear protective gloves. Suitable gloves can be recommended by the glove supplier.

**- Other** Wear appropriate clothing to prevent repeated or prolonged skin contact. Wear non-skid boots.

**Respiratory protection** In case of inadequate ventilation or risk of inhalation of dust, use suitable respiratory equipment with particle filter (type P2).

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**Hygiene measures** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**Environmental exposure controls** Contain spills and prevent releases and observe national regulations on emissions.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties****Appearance**

**Physical state** Solid.

**Form** Granular. Powder.

**Colour** White.

**Odour** Odourless.

**Odour threshold** Not available.

**pH** 6 - 8

**Melting point/freezing point** Not available.

<b>Initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	Not available.
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Vapour pressure</b>	Not available.
<b>Vapour density</b>	Not available.
<b>Relative density</b>	Not available.
<b>Solubility(ies)</b>	Swells in water.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	> 400 °C (> 752 °F)
<b>Decomposition temperature</b>	> 200 °C (> 392 °F)
<b>Viscosity</b>	Not available.
<b>Explosive properties</b>	Dust lower explosion limit: > 1200 g/m <sup>3</sup>
<b>Oxidising properties</b>	Not available.

## 9.2. Other information

**Bulk density** 0,6 - 0,9 g/ml

Electrical resistivity: 2.0E+8 Ωm

Dust minimum ignition energy: > 1000 mJ

## SECTION 10: Stability and reactivity

<b>10.1. Reactivity</b>	The product is stable and non reactive under normal conditions of use, storage and transport.
<b>10.2. Chemical stability</b>	Stable under normal temperature conditions and recommended use.
<b>10.3. Possibility of hazardous reactions</b>	Absorbs water and becomes slippery. Dust may form explosive mixture with air.
<b>10.4. Conditions to avoid</b>	Ignition sources. Keep away from moisture.
<b>10.5. Incompatible materials</b>	None.
<b>10.6. Hazardous decomposition products</b>	During combustion: Carbon oxides. Organic vapour.

## SECTION 11: Toxicological information

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

### Information on likely routes of exposure

<b>Inhalation</b>	Dust may irritate respiratory system.
<b>Skin contact</b>	Dust: May cause irritation through mechanical abrasion.
<b>Eye contact</b>	Dust may irritate the eyes.
<b>Ingestion</b>	May cause discomfort if swallowed.

**Symptoms** Dust may irritate the eyes and the respiratory system. May cause redness and pain.

### 11.1. Information on toxicological effects

**Acute toxicity** May cause discomfort if swallowed.

Components	Species	Test results
Acrylic acid polymer sodium salt (CAS 9003-04-7)		
<b>Acute</b>		
<b>Oral</b>		
LD50	Rat	> 2000 mg/kg
Silicon dioxide (CAS 7631-86-9)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	> 2000 mg/kg, 24 Hours

Components	Species	Test results
<b>Inhalation</b>		
LC50	Rat	> 0,69 mg/l, 4 Hours
<b>Oral</b>		
LD50	Rat	> 5000 mg/kg
<b>Skin corrosion/irritation</b>	Not irritant (Human, Rabbit)	
<b>Serious eye damage/eye irritation</b>	None (Rabbit)	
<b>Respiratory sensitisation</b>	No data available.	
<b>Skin sensitisation</b>	Not a skin sensitiser. (Guinea pig)	
<b>Germ cell mutagenicity</b>	Ames test using Salmonella typhimurium (TA 98, TA100, TA1535 and TA1537) and Escherichia coli (WP2uvrA): Negative.	
<b>Carcinogenicity</b>	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
<b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>		
Silicon dioxide (CAS 7631-86-9)		3 Not classifiable as to carcinogenicity to humans.
<b>Reproductive toxicity</b>	No data available.	
<b>Specific target organ toxicity - single exposure</b>	No data available.	
<b>Specific target organ toxicity - repeated exposure</b>	No data available.	
<b>Aspiration hazard</b>	No data available.	
<b>Mixture versus substance information</b>	Not available.	
<b>Other information</b>	Not available.	

## SECTION 12: Ecological information

**12.1. Toxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species	Test results
Silicon dioxide (CAS 7631-86-9)		
<b>Aquatic</b>		
<i>Acute</i>		
Crustacea	EL50 Daphnia magna	> 1000 mg/l, 24 hours
<b>12.2. Persistence and degradability</b>	The product is compostable not biodegradable.	
<b>12.3. Bioaccumulative potential</b>	No data available.	
<b>Partition coefficient n-octanol/water (log Kow)</b>	Not available.	
<b>Bioconcentration factor (BCF)</b>	Not available.	
<b>12.4. Mobility in soil</b>	No data available.	
<b>Mobility in general</b>	No data available.	
<b>12.5. Results of PBT and vPvB assessment</b>	Not a PBT or vPvB substance or mixture.	
<b>12.6. Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
<b>12.7. Additional information</b>		
<b>Estonia Dangerous substances in groundwater Data</b>		
Silicon dioxide (CAS 7631-86-9)		Pesticides (total) 0,5 ug/l Pesticides (total) 5 ug/l
<b>Estonia Dangerous substances in soil Data</b>		
Silicon dioxide (CAS 7631-86-9)		Synthetic pesticides (total of active substances) 0,5 mg/kg Synthetic pesticides (total of active substances) 20 mg/kg Synthetic pesticides (total of active substances) 5 mg/kg

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

<b>Residual waste</b>	Dispose of in accordance with local regulations. Avoid discharge into Freshwater, Grey-water or Rainwater surface drainage, Water courses or onto the Ground.
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied.
<b>EU waste code</b>	16 03 06 Organic Waste Waste codes should be assigned by the user based on the application for which the product was used.
<b>Disposal methods/information</b>	Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

## SECTION 14: Transport information

### ADR

14.1. - 14.6.: Not regulated as dangerous goods.

### RID

14.1. - 14.6.: Not regulated as dangerous goods.

### ADN

14.1. - 14.6.: Not regulated as dangerous goods.

### IATA

14.1. - 14.6.: Not regulated as dangerous goods.

### IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code** Not available.

**General information** Be careful for falling or damage in loading. Avoid contact with water and moisture. Avoid shipment with strong odoriferous things.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended**

Not listed.

**Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended**

Not listed.

**Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA**

Not listed.

#### Authorisations

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended**

Not listed.

#### Restrictions on use

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended**

Not listed.

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.**

Not listed.

#### Other EU regulations

**Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended**

Not listed.

#### Other regulations

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006 as amended. The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended and respective national laws implementing EC directives.



**National regulations** Follow national regulation for work with chemical agents.  
**15.2. Chemical safety assessment** No Chemical Safety Assessment has been carried out.

## **SECTION 16: Other information**

### **List of abbreviations**

DNEL: Derived No-Effect Level.  
PNEC: Predicted No-Effect Concentration.  
PBT: Persistent, bioaccumulative and toxic.  
vPvB: Very Persistent and very Bioaccumulative.

### **References**

In-house data

### **Information on evaluation method leading to the classification of mixture**

The mixture is classified based on test data for physical hazards. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. For details, refer to Sections 9, 11 and 12.

### **Full text of any H-statements not written out in full under Sections 2 to 15**

None.

### **This SDS contains revisions in the following section(s):**

1, 16.

### **Training information**

Follow training instructions when handling this material.

### **Further information**

All ingredients are either listed or exempt from listing on TSCA.  
All ingredients are either listed or exempt from listing on EINECS/ELINCS.  
All ingredients are either listed or exempt from listing on ENCS.

### **Disclaimer**

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

This safety data sheet covers the following products:  
SafetyGel™