



## SAFETY DATA SHEET LOW FOAM - HEAVY

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

---

#### 1.1. Product identifier

**Product name**                      LOW FOAM - HEAVY  
**Product number**                 A109 EV (Brosch Direct Code: CD1092)  
**Internal identification**         Janitorial - Floors & Carpets Section

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses**                     Alkaline Liquid Hard Surface Cleaner

#### 1.3. Details of the supplier of the safety data sheet

**Supplier**                                Evans Vanodine International  
    Brierley Road  
    Walton Summit  
    Preston. PR5 8AH

Tel: 01772 322 200  
Fax: 01772 626 000  
qclab@evansvanodine.co.uk

#### 1.4. Emergency telephone number

**Emergency telephone**             New Safety Data Sheets - 8.30am to 4.45pm - 01772 322 200 - Mon to Fri. (Also available 24/7  
    from our website [www.evansvanodine.co.uk](http://www.evansvanodine.co.uk)) Technical Advice             - 8.30am to 4.45pm -  
    01772 318 818 - Mon to Fri

---

### SECTION 2: Hazards identification

---

#### 2.1. Classification of the substance or mixture

##### Classification

##### Physical hazards

Not Classified

##### Health hazards

Skin Irrit. 2 - H315 Eye Dam. 1 - H318

##### Environmental hazards

Not Classified

##### Classification (67/548/EEC or 1999/45/EC)

Xi;R36/38.

#### 2.2. Label elements

##### Pictogram



**Signal word**                             Danger

##### Hazard statements

**LOW FOAM - HEAVY**

H315 Causes skin irritation.

H318 Causes serious eye damage.

**Precautionary statements**

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301 IF SWALLOWED:

P313 Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P315 Get immediate medical advice/attention.

P501 Dispose of contents/container in accordance with local regulations.

**Contains**

ALCOHOL (C9-C11) ETHOXYLATE (6EO), SODIUM HYDROXIDE

**2.3. Other hazards**

This product does not contain any substances classified as PBT or vPvB.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

<b>ALCOHOL (C9-C11) ETHOXYLATE (6EO)</b> CAS number: 68439-45-2 EC number: —	<b>5-10%</b>
<b>Classification</b> Acute Tox. 4 - H302 Eye Dam. 1 - H318	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xn;R22. Xi;R41.
<b>AMINO TRIMETHYLENE PHOSPHONIC ACID PENTA SODIUM SALT</b> CAS number: 2235-43-0 EC number: —	<b>3-5%</b>
<b>Classification</b> Skin Irrit. 2 - H315 Eye Dam. 1 - H318	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xi;R36/38.
<b>SODIUM CUMENE SULPHONATE</b> CAS number: 32073-22-6 EC number: 250-913-5	<b>1-3%</b>
<b>Classification</b> Eye Irrit. 2 - H319	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xi;R36.
<b>SODIUM HYDROXIDE</b> CAS number: 1310-73-2 EC number: 215-185-5 REACH registration number: 01-2119457892-27-xxxx	<b>0.1-1%</b>
<b>Classification</b> Met. Corr. 1 - H290 Skin Corr. 1A - H314	<b>Classification (67/548/EEC or 1999/45/EC)</b> C;R35

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures****Inhalation**

Unlikely route of exposure as the product does not contain volatile substances. If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.

## LOW FOAM - HEAVY

### Ingestion

Do not induce vomiting. Give plenty of water to drink. Get medical attention.

### Skin contact

Wash with plenty of water. Get medical attention if irritation persists after washing.

### Eye contact

Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Get medical attention immediately. Continue to rinse.

### 4.2. Most important symptoms and effects, both acute and delayed

#### General information

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

#### Inhalation

Irritation of nose, throat and airway.

#### Ingestion

May cause discomfort if swallowed.

#### Skin contact

Skin irritation. Prolonged skin contact may cause redness and irritation.

#### Eye contact

Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

#### Notes for the doctor

Treat symptomatically.

---

## SECTION 5: Firefighting measures

---

### 5.1. Extinguishing media

#### Suitable extinguishing media

The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

### 5.2. Special hazards arising from the substance or mixture

#### Specific hazards

Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours.

### 5.3. Advice for firefighters

#### Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

---

## SECTION 6: Accidental release measures

---

### 6.1. Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Wear protective clothing, gloves, eye and face protection. For personal protection, see Section 8.

### 6.2. Environmental precautions

#### Environmental precautions

Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

### 6.3. Methods and material for containment and cleaning up

#### Methods for cleaning up

Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.

### 6.4. Reference to other sections

#### Reference to other sections

## LOW FOAM - HEAVY

For personal protection, see Section 8.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Usage precautions

Wear protective clothing, gloves, eye and face protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Storage precautions

Keep only in the original container in a cool, well-ventilated place. Store away from the following materials: Oxidising materials.

#### 7.3. Specific end use(s)

##### Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

##### Usage description

See Product Information Sheet & Label for detailed use of this product.

### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

##### SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit

#### 8.2. Exposure controls

##### Protective equipment



##### Appropriate engineering controls

Not relevant.

##### Eye/face protection

Wear eye protection.

##### Hand protection

Wear protective gloves. (Household rubber gloves.)

##### Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

##### Respiratory protection

Respiratory protection not required.

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

##### Appearance

Liquid.

##### Colour

Clear. Blue.

##### Odour

Faint surfactant

##### pH

pH (concentrated solution): 12.80

##### Melting point

## LOW FOAM - HEAVY

0°C

### Initial boiling point and range

100°C @ 760 mm Hg

### Flash point

Boils without flashing.

### Relative density

1.054 @ 20°C

### Solubility(ies)

Soluble in water.

## 9.2. Other information

### Other information

None.

---

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactions with the following materials may generate heat: Strong acids.

### 10.2. Chemical stability

#### Stability

No particular stability concerns.

### 10.3. Possibility of hazardous reactions

See sections 10.1,10.4 & 10.5

### 10.4. Conditions to avoid

There are no known conditions that are likely to result in a hazardous situation.

### 10.5. Incompatible materials

#### Materials to avoid

Strong acids. Aluminium, Tin, Zinc and their alloys.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

---

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Toxicological effects

We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.

#### Other health effects

Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract.

#### Acute toxicity - oral

##### Notes (oral LD50)

Based on available data the classification criteria are not met.

##### ATE oral (mg/kg)

5,016.66666667

---

## SECTION 12: Ecological Information

### Ecotoxicity

Not regarded as dangerous for the environment.

### 12.1. Toxicity

## LOW FOAM - HEAVY

We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.

### 12.2. Persistence and degradability

#### **Persistence and degradability**

Sequestrant is readily degraded during biological effluent treatment processes.

### 12.3. Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

### 12.4. Mobility in soil

#### **Mobility**

Not known.

### 12.5. Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

Not known.

---

## **SECTION 13: Disposal considerations**

---

### 13.1. Waste treatment methods

#### **Disposal methods**

Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal by approved waste contractor. Rinse out empty container with water and consign to normal waste.

---

## **SECTION 14: Transport information**

---

### 14.1. UN number

UN No. (ADR/RID)	3266
UN No. (IMDG)	3266
UN No. (ICAO)	3266

### 14.2. UN proper shipping name

Proper shipping name (ADR/RID)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide solution)
Proper shipping name (IMDG)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide solution)
Proper shipping name (ICAO)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide solution)
Proper shipping name (ADN)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide solution)

### 14.3. Transport hazard class(es)

ADR/RID class	Class 8: Corrosive substances.
ADR/RID label	8
IMDG class	Class 8: Corrosive substances.
ICAO class/division	Class 8: Corrosive substances.
ICAO subsidiary risk	
Transport labels	



### 14.4. Packing group

**LOW FOAM - HEAVY**

ADR/RID packing group III  
 IMDG packing group III  
 ICAO packing group III

**14.5. Environmental hazards**

Environmentally hazardous substance/marine pollutant

No.

**14.6. Special precautions for user**

EmS F-A, S-B

Emergency Action Code

Hazard Identification Number  
(ADR/RID)

Tunnel restriction code (E)

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not relevant. for a packaged product.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU legislation**

Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No 453/2010 (which amends Regulation (EC) No 1907/2006). The product is as classified under GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures. Ingredients are listed with classification under both CHIP - Directive 67/548/EEC - classification, packaging & labelling of dangerous substances & GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.

**Guidance**

Workplace Exposure Limits EH40.

**15.2. Chemical safety assessment**

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

**SECTION 16: Other information****Key literature references and sources for data**

Material Safety Data Sheet, Misc. manufacturers. CLP Class - Table 3.1 List of harmonised classification and labeling of hazardous substances. CHIP Class - Table 3.2 The list of harmonised classification and labelling of hazardous substances from Annex I to Directive 67/548/EEC. ECHA - C&L Inventory database.

**Revision comments**

This product is now using classification from GHS/CLP - Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.

Revision date 22/04/2015

Revision Issue 6

SDS status The Risk Phrases / Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Risk Phrases / Hazard Statements relating to this Product see Section 2.

**Risk phrases in full**

R22 Harmful if swallowed.  
 R35 Causes severe burns.  
 R36 Irritating to eyes.  
 R36/38 Irritating to eyes and skin.  
 R41 Risk of serious damage to eyes.

## LOW FOAM - HEAVY

### Hazard statements in full

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.